| SECTI | ON V-A | - AM BROAD | CAST ENGINEER | RING DATA | | File No. SSB Referra Referred By | | | | <u></u> |
|---------|--------------|------------------------------------|--|------------------|---------|--|------------|-----------------|-------------|---------|
| Name o | of Applica | ant | | | | | | | | |
| 1. Pu | urpose of | Application: (a | check all appropriate | e boxes) | | | | | | |
| | L Co | onstruct new sta | tion | | | | | | | |
| | \square M | ake changes in | authorized/existing | station | Call | Sign (if issued) | | | | |
| | | Principal au | thorized/licensed con | mmunity | | Hours of operation | on | | | |
| | | Frequency | | | | Transmitter locat | ion | | | |
| | | Power | | | | Filed in complian | | | lan to | |
| | | Main studio | location per 47 C.F. | R. Section | | Allotment Number | • | | | |
| | | 73.1125(b)(2 Antenna sys | 2) tem (including incre | ase in height b | y addit | ion of FM, TV or | other ante | nna) | _ | |
| | | ☐ New | antenna construction | 1 | | | | | | |
| | | Alter | ation of existing stru | icture(s) | | | | | | |
| | | | Increase height | | | Decrease height | | | | |
| | | | Non-DA to DA | | | DA to Non-DA | | | | |
| | Othe | er (Summarize l | briefly the nature of | the changes pr | oposea | <i>!</i>) | | | | |
| 2. Pr | | ommunity to be | | | | | | | | |
| State | _ | County | | | | City or Town | | | | |
| 3. Fa | acilities re | equested: | | | | | | | | |
| Fr | requency: | | _ kHz | | | Hours of Operation | on: | | | |
| Po | ower: Nig | ght: | _ kW Day: | kW | | Critical Hours: | | kW | | |
| Cl | lass of Sta | ation (A, B, C o | or D) | | | Stereo | | Monaural | | |
| 4. Tr | ransmitte | r location: | | | | | | | | |
| State | (| County | | | | City or Town | | | | |
| | | nna location (st antenna from t | reet address). If out | tside city limit | s, give | name of nearest to | wn and di | stance (in kilo | ometers), a | nd |
| ra | diator giv | e tower locatio | (to nearest second). n. Specify South Laesumed. (The Comm | titude and Eas | t Long | itude where applic | able; othe | • | _ | |
| Latitud | e | 0 | , | n | Longi | tude | 0 | 1 | | " |
| | | | | | | | | | | |

FOR COMMISSION USE ONLY

Section V-A - AM BROADCAST ENGINEERING DATA (Page 2)

| 5. | Has/have the antenna st | ucture(s) been registered with the Commission? | | Yes | □ No | | |
|-----|---|---|------------------------|-----------|------|--|--|
| | If Yes, provide the seve | n digit registration number(s) and proceed to item 9. | | - | | | |
| 6. | Has the owner of the an | th the Commission? | Yes | ☐ No | | | |
| | If yes, provide the date | FCC Form 854 was filed and proceed to item 9. | | | | | |
| 7. | Antenna structure will be shielded by existing structures of a permanent and substantial character or by natural terrain or topographic features of equal or greater height, and would be located in the congested area of a city, town or settlement where it is evident beyond all reasonable doubt that the structure is so shielded that it will not adversely affect safety in air navigation. | | | | | | |
| | If yes, submit as an Ex item 9. | nibit a detailed explanation and/or diagram to support | your claim and skip to | Exhibit N | No. | | |
| 8. | Antenna structure does and therefore does not r | not meet FAA Notification criteria as defined under 47 (equire registration. | C.F.R. Section 17.7 | Yes | □ No | | |
| 9. | | same transmitter-antenna site of other stations authorize pplication pending before the Commission? | ed by the Commission, | Yes | □ No | | |
| | If Yes, indicate call sign | or application file number: | | | | | |
| 10. | Antenna system (includ | ng ground or counterpoise system) | | | | | |
| | Non-Directional | Day Night | Critical Hours | | | | |
| | Estimated efficiency | mV/m per kW at one kilon | neter | | | | |
| | Directional | Day only (DA-D) Night only (DA-N) | | | | | |
| | | Same constants and power day and night (DA-1) |) | | | | |
| | | Different constants and/or power day and night (| (DA-2) | | | | |
| | | Different constants and/or power day, critical ho | ours and night (DA-3) | | | | |
| | Submit complete engineering data in accordance with 47 C F R. Section 73 150 for each Directional | | | | | | |

Submit complete engineering data in accordance with 47 C.F.R. Section 73.150 for each Directional antenna pattern proposed.

Section V-A - AM BROADCAST ENGINEERING DATA (Page 3)

| Non-Directional/Di | irectional | | | | | |
|--|--------------------|---------------------|--------------------------------|---------------------|-------------|--------------------|
| If antenna(s) is/are electrical height.) | either top loaded | or sectionalized, o | describe fully in | an Exhibit. (Includ | de apparent | Exhibit No. |
| Type of feed circuit | s (excitation) | Series Fe | ed [| Shunt Feed | | |
| | | Folded U | nipole | Other (explai | n) | |
| TOWERS (in meters, rounded to nearest tenth of a meter) | 1 | 2 | 3 | 4 | 5 | 6 |
| Overall height of radiator above base insulator,or above base, if grounded | | | | | | |
| Overall height above ground (without obstruction lighting) | | | | | | |
| Overall height above ground (include obstruction lighting) | | | | | | |
| Overall height above mean sea level (include obstruction lighting) | | | | | | |
| For additional towers, pro | ovide information | exactly as it appe | ars above in the | Exhibit. | | |
| 11. Has the FAA been r If Yes, give date and determination, if av | d office where not | | | ibit a copy of FAA |] | Yes No Exhibit No. |
| Date — | Of | fice where filed | | | | |
| 12. List all landing are landing area from the | | neters of antenna | site. Give dista Distance (km | | | t boundary of each |
| | | | | , | | |
| (b) — | | | | | | |
| (c) — | | | | | | |

Section V-A - AM BROADCAST ENGINEERING DATA (Page 4)

| 13. | 3. Attach as an Exhibit a description and vertical plan sketch (including supporting buildings, if any) of the proposed structure, giving heights above ground, in meters, for all significant features. Clearly indicate existing portions, noting lighting, and distinguishing between the skeletal or other main supporting structure and the antenna elements. If a directional antenna, give spacing and orientation of towers. | | | | | |
|-------|--|------------------------------------|---|---|-------------|------|
| | | | ly described above, attach as an Exhibit further details an mounted on tower and associated isolation circuits. | d dimensions, including any other | Exhibit No. | |
| | Attach as an Exhibit a plat of the transmitter site clearly showing boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Show number and dimensions of ground radials or, if a counterpoise is used, show heights and dimensions. | | | | | |
| 14. | | | main studio be located within the station's principal conection 73.24(i)? | nmunity contour as defined by 47 | Yes | No |
| | If No | o, atta | ach as an Exhibit a justification pursuant to 47 C.F.R. Secti | ion 73.1125. | Exhibit No. | |
| 15. | 5. Is there a remote control location or is one to be established in accordance with 47 C.F.R. Section 73.1400? | | | | Yes | No |
| | If Y | es. su | bmit the following: | | | |
| State | | , | County | City or Town | | |
| Stre | et Ad | dress | (or other identification) | <u> </u> | | |
| | marl the diffe phot | ked so propo erent tograp | and angles to permit identification of all structures in the so as to show compass directions, exact boundary lines of osed 1000 mV/m contour for both day and night operal directions from an elevated position on the ground will bohs if the data referred to can be clearly shown. | the proposed site, and locations of tion. Photographs taken in eight be acceptable in lieu of the aerial | | N. |
| 17. | | | pulation within the 1 V/m (1000 mV/m) contour less tf the population within the 25 mV/m contour? | han 300 persons or less than 1.0 | Yes L | No |
| | If N | o, atta | ach as an Exhibit a justification pursuant to 47 C.F.R. Section | on 73.24(g). | Exhibit No. | |
| 18. | Envi | ironm | nental Statement. (See 47 C.F.R. Section 1.1301 et seq.) | | | |
| | (a) | | ald a Commission grant of this application come within 4' have a significant environmental impact? | 7 C.F.R. Section 1.1307, such that it | 105 | ☐ No |
| | | | ou answer Yes, submit as an Exhibit an Environmental ion 1.1311. | Assessment required by 47 C.F.R. | Exhibit No. | |
| | (b) | If N | o, explain briefly why not. | | | |
| | (c) | FCC expl to po to ra | suant to OST Bulletin No. 65, October 1985, entition of the C-Specified Guidelines for Human Exposure to Radiofrequain in an Exhibit what steps will be taken to limit the RF ersons authorized access to the tower site. In addition, wild diofrequency radiation, you must certify that the established be coordinated with all stations. | ency Radiation," the applicant must radiation exposure to the public and here there are multiple contributors | t 1 s | |
| | | Dist | ance from tower(s) to the nearest point of the fence enclosing | ing the tower(s) in meters. | Ма | tere |

Section V-A - AM BROADCAST ENGINEERING DATA (Page 5)

A. Daytime (for assistance, see 47 C.F.R. Section 73.37)

20. Allocation Studies

| (1) | For daytime operation, attach as an Exhibit map(s) having appropriate scales, showing the |
|-----|---|
| | 1000, 5, 2 and 0.5 (0.1, if Class A station) daytime contours in mV/m for both existing and |
| | proposed operations. On the map(s) showing the 5 mV/m contours CLEARLY |
| | INDICATE THE LEGAL BOUNDARIES OF THE PRINCIPAL COMMUNITY TO |
| | BE SERVED. |

Exhibit No.

(2) Does the daytime 5 mV/m contour encompass the legal boundaries of the principal community to be served?

| | Yes | No |
|---|-----|----|
| _ | | |

If No, attach as an Exhibit a justification for waiver of 47 C.F.R. Section 73.24(i).

Exhibit No.

(3) For daytime operation, for stations on a frequency between 535 kHz and 1605 kHz, attach as an Exhibit an allocation study utilizing Figure M-3 (*Figure R-3, 47 C.F.R. Section 73.190*) or an accurate full scale reproduction thereof and using pertinent field strength measurement data where available, a full scale Exhibit of the entire pertinent area to show the following:

Exhibit No.

- (a) Normally protected and the interfering contours for the proposed operation along all azimuths.
- (b) Normally protected and interfering contours of existing stations and other proposed stations in pertinent areas with which prohibited overlap would result as well as those existing stations and other proposals which require study to clearly show absence of prohibited overlap. If prohibited overlap were to occur as a result of the proposal, appropriate justification for waiver of 47 C.F.R. Section 73.37 is to be included.
- (c) Plot of the transmitter location of each station or proposal requiring investigation, with identifying call letters, file numbers, and operating or proposed facilities.
- (d) Properly labeled longitude and latitude degree lines, shown across entire Exhibit.
- (4) For daytime operation, attach as an Exhibit a tabulation of the following:

Exhibit No.

- (a) Azimuths along which the groundwave contours were calculated for all stations or proposals shown on allocation study exhibits required by (3)(a).
- (b) Inverse distance field strength used along each azimuth.
- (c) Basis for ground conductivity utilized along each azimuth specified in (4)(a). If field strength measurements are used, submit copies of the analyzed measurements. If measurement data are taken from Commission records identify the source of the measurements in the Commission's files.

Section~V-A-AM~BROADCAST~ENGINEERING~DATA~(Page~6)

| B. | Criti | ical Ho | urs (If applicable, see 47 C.F.R. Section 73.187) | | | |
|----|-------|--------------------------------|---|-------------|----|--|
| | (1) | the 1 | itical hour operation, attach as an Exhibit map(s) having appropriate scales, showing 2000, 5 and 0.5 critical hours contours in mV/m for both existing and proposed ions. On the map(s) showing the 5 mV/m contours CLEARLY INDICATE THE AL BOUNDARIES OF THE PRINCIPAL COMMUNITY TO BE SERVED. | Exhibit No. | | |
| | (2) | | the critical hours 5 mV/m contour encompass the legal boundaries of the principal unity to be served? | Yes | No | |
| | | If No, | attach as an Exhibit justification for waiver of 47 C.F.R. Section 73.24(i). | Exhibit No. | | |
| | (3) | (Figures) using entire arcs of | ritical hour operation, attach as an Exhibit an allocation study utilizing Figure M-3 re R-3, 47 C.F.R. Section 73.190) or an accurate full scale reproduction thereof and pertinent field strength measurement data where available, a full scale Exhibit of the pertinent area to show the following: The 0.1 mV/m groundwave contour pertinent of Class 1 stations and appropriate studies to establish compliance with 47 C.F.R. on 73.187 where operation is proposed on a U.S. Class A channel. | Exhibit No. | | |
| C. | Ni | ghttim | e (for assistance, see 47 C.F.R. Section 73.182) | | | |
| | (1) | | nighttime operation, attach as an Exhibit map(s) having appropriate scales, wing the 1000 and 5 mV/m coverage contours (RSS nighttime interference-free | Exhibit No. | | |
| | | con map | contour if it is greater than 5 mV/m) for both existing and proposed operations. On the map(s) showing the interference-free contours CLEARLY INDICATE THE LEGAL BOUNDARIES OF THE PRINCIPAL COMMUNITY TO BE SERVED. | | | |
| | (2) | 80% | s the nighttime 5 mV/m or nighttime free contour (whichever is higher) encompass of the principal community to be served (50% for expanded band 1605-1705 kHz ons)? | Yes | No | |
| | | If N | o, attach as an Exhibit a justification for waiver of, or exemption pursuant to 47 C.F.R. | Exhibit No. | | |
| | (3) | | nighttime operation, for stations on a frequency between 535 kHz and 1605 kHz, attach a Exhibit allocation data including the following: | Exhibit No. | | |
| | | (a) | Proposed nighttime limitation to other existing or proposed stations with which objectionable interference could result, as well as those other proposals and existing stations which require study to show clearly absence of objectionable interference. | | | |
| | | (b) | All existing or proposed nighttime limitations which enter into the nighttime RSS limitation of each of the existing or proposed facilities investigated under (3)(a) above. | | | |
| | | (c) | All existing or proposed limitations which contribute to the RSS nighttime limitation of the proposed operation, together with those limitations which must be studied before being excluded. | | | |
| | | (d) | A detailed interference study plotted upon an appropriate scale map if a question exists with respect to nighttime interference to other existing or proposed facilities along bearing other than on a direct line toward the facility considered. (Clipping study) | | | |
| | | (e) | The detailed basis for each nighttime limitation calculated under (3)(a), (b), (c) and (d) above. | | | |

Section V-A - AM BROADCAST ENGINEERING DATA (Page 6)

| 21. | Attach as an Exhibit a map (7.5 minute U.S. Geological Survey topographic quadrangles, if available) |
|-----|--|
| | of the proposed antenna location showing the following information: |

Exhibit No.

- A. Proposed transmitter location accurately plotted with the latitude and longitude lines clearly marked and showing a scale in kilometers.
- B. Heights of buildings or other structures and terrain elevations in the vicinity of the antenna, indicating the location thereof.
- C. Transmitter location and call signs of non-broadcast radio stations (*except amateur and citizens band*), established commercial and government receiving stations in the general vicinity which may be adversely affected by the proposed operation.
- D. Transmitter location and call letters of all AM, FM and TV broadcast stations within three (3) kilometers of the proposed antenna location.

CERTIFICATION

I certify that I have prepared this Section of this application on behalf of the applicant, and that after such preparation, I have examined and found it to be accurate and true to the best of my knowledge and belief.

| Name (Typed or Printed) | Relationship to Applicant (e.g., Consulting Engineer) |
|-------------------------|---|
| Signature | Address (include ZIP Code) |
| Date | Telephone No. (include Area Code) |